

Parts Breakdowns

<u>Planter Attachment</u>	<u>Page(s)</u>
ACCR1334S.....	2-3
WA1360 Floating Row Cleaner and Mounts.....	4-9
Razor Wheel option to replace 13" toothed wheel.....	10
Smart Clean.....	11-16
UMO-100 Fertilizer Opener and Mounts.....	17-21
Dual UMO Fertilizer Opener and Mounts.....	22-23
Selection Guide for WA1360.....	24
Options for WA1360.....	25-29
Pin Adjust Row Cleaners and Mounts.....	30-51
C125 Floating Row Cleaner and Mounts.....	52-58
Options for C125.....	59-60
C125 For Great Plains Twin Row Planter.....	61-62
Row Cleaner Hubs and Repair Kits.....	63-64
Closing Wheels	65-81
Closing Wheel Hubs for all Closing Wheels.....	82
Drag Chain Kits.....	83
Replacement Wheels—Current Models (4 hole pattern).....	84-88
Replacement Hubs & Wheels—Prior to 2005 (3 hole pattern).....	89-94
Options.....	95-98
Heavy Duty Seed Disc.....	99



Model ACCR1334S



STW-04A (Side Treader Wheels) standard. Shown with optional SC-CYL-2x2 (cylinder) and Razor Wheel

ACCR1334S Compact Clean Ride short Row Cleaner

4" Travel follows ground contours while maintaining optimum cleaning action at all elevations. Stop bolt can be adjusted to limit depth allowing row cleaner to float from that point upward. Compatible with Clean Sweep or Smart Clean(SC-CYL-2X2) cylinders **not** included in price. Cylinder mounting brackets included.

Designed to mount to most row units, Deere, Kinze, White, Harvest International and Horsch.


Can be fitted to **Case IH** row unit with additional L brackets **CIHMTK**.

Case IH 1200 series requires qty 2 of **CIH1200ST** to limit row unit up travel.

Shown with optional Razor Wheels. When ordering without Razor Wheels use **ACCR1334S**
Add Z to specify Razor Wheels in place of standard Spike Wheel **ACCR1334SZ**.



Exploded View- Model ACCR1334S Compact Clean Ride short Row Cleaner



Model WA1360



Shown with optional Side Treader Wheels (STW-04)
and Quick Adjust (CA-03D).

WA1360 Floating Row Cleaner follows ground contour. Stop bolt can be adjusted to limit depth allowing row cleaner to float from that point upward.


Mounting brackets available to fit Deere, Kinze, Case IH, White planters with or without OEM coulters on most models.

Also can be used with UMO-100 Fertilizer Opener

Now optional Razor Wheels available for all 13" 4 bolt Row Cleaners. See page 8.




Exploded View- Model WA1360 Floating Row Cleaner



WA1360 Mounts

MT1360DS



Short mounting bracket for attaching the **Martin WA1360 Floating Row Cleaner** to Deere 7200-1700 series planter row unit.

MT1360KS/WS




Short mounting bracket for attaching the **Martin WA1360 Floating Row Cleaner** to Deere 7000, plus all Kinze (except 4900) and White planter row units.



WA1360 Mounts

MT1360CIH



Bracket for attaching **Martin WA1360 Floating Row Cleaner** to Case IH 800, 900 and 1200 series planter row units.

MT1360W9S



Bracket for attaching **Martin WA1360 Floating Row Cleaner** to White 9000 without coulter.



WA1360 Mounts

MT1360K4C



Bracket set for attaching **Martin WA1360 Floating Row Cleaner** to Kinze 4900 series that have Kinze double arm no-till coulters.

MT1360K4



Short mounting bracket for attaching the **Martin WA1360 Floating Row Cleaner** to Kinze 4900 series planter row unit.



WA1360 Mounts

MT1360DC



Bracket set for attaching **Martin WA1360 Floating Row Cleaner** to Deere 7200-1700 series cast coulter bracket.

MT1360KC



Bracket set for attaching **Martin WA1360 Floating Row Cleaner** to all Kinze planter row units that have the Kinze double arm no-till coulter, except 4900.



Razor Wheels

RTW1412.5-R4



12.5" Razor Tooth Row Cleaner wheel for use in extreme residue. Fits all Martin 4 Bolt Row Cleaners. Can be run offset or intersected. (Right Wheel)

**Add Z to end of part number to substitute Razor Wheels on any 13" Row cleaner

RTW1412.5-L4



12.5" Razor Tooth Row Cleaner wheel for use in extreme residue. Fits all Martin 4 Bolt Row Cleaners. Can be run offset or intersected. (Left Wheel)

**Add Z to end of part number to substitute Razor Wheels on any 13" Row cleaner



Smart Clean System

We offer everything you need to equip your planter with the Smart Clean Row Cleaner Adjustment System, including:

- Plumbing box with wiring harness
- Your choice of one- or two-valve Smart Clean assembly
- Air lines and fittings
- Air compressor
- Cylinders and brackets
- Easy-to-follow assembly instructions



SC-CYL-2x2




SC-AC-12V

12 Volt Compressor



Smart Clean System

Dial-in row cleaner adjustments on the go with an easy-to-use app for smart phones and tablets.



Combining a Bluetooth connection with an easy-to-use app for your smart phone or tablet, our new Smart Clean System allows you to raise and lower your row cleaners by varying the amount of air pressure in the cylinders. A directional control valve lets you select up, down or float without requiring any air lines or manual valves in the cab. If your planter is equipped with airbags and you order Smart Clean with the optional second valve, you can adjust the airbag downforce with your smart phone or tablet.

The app is a free download from Google Play or the App store. On the main page, you can adjust the downforce on the row cleaners by increasing or decreasing the Smart Clean Pressure.




Smart Clean System

Control/Plumbing Box



The plumbing box (SC-ASSEMBLY-1) connects wirelessly to your smart phone and allows you to control the row cleaner's downforce by controlling the cylinder's air pressure . The control box includes one pressure regulator valve, one directional valve , signal converter box , ORI-OLE controller box , and an external air filter/regulator.



If your planter is equipped with airbags and you ordered the optional double valve plumbing box with additional airbag valve(SC-ASSEMBLY-2), connect the box's "Airbag" outlet to the airbags circuit using the provided 1/4" tubing and fittings. This will enable you to adjust the airbag downforce with your smartphone or tablet.



Smart Clean System



SC-1360DS-MT

Top Smart Clean Cylinder Bracket for MT1360DS. Attaches SC-CYL-2x2 Cylinder to Mount.



SC-1360KS-MT

Top Smart Clean Cylinder Bracket for MT1360KS/WS. Attaches SC-CYL-2x2 Cylinder to Mount.



SC-1360DC-MT

Top Smart Clean Cylinder Bracket for MT1360DC. Attaches SC-CYL-2x2 Cylinder to Mount.



Smart Clean System



SC-CUB-2L

WA1360 Top Smart Clean Cylinder Bracket for MT1360DU, MT1360KU, MT1360CU, MT1360DDU or MT1360KDU. For use with Right Leading UMO-100. Attaches SC-CYL-2x2 Cylinder to Mount.



SC-CUB-2R

WA1360 Top Smart Clean Cylinder Bracket for MT1360DU, MT1360KU, MT1360CU, MT1360DDU or MT1360KDU. For use with Left Leading UMO-100. Attaches SC-CYL-2x2 Cylinder to Mount.

SC-CUB1345-2L



WA1345 Top Smart Clean Cylinder Bracket for MT1360DU, MT1360KU, MT1360CU. For use with Right Leading UMO-100. Attaches SC-CYL-2x2 Cylinder to Mount.

SC-CUB1345-2R



WA1345 Top Smart Clean Cylinder Bracket for MT1360DU, MT1360KU, MT1360CU. For use with Left Leading UMO-100. Attaches SC-CYL-2x2 Cylinder to Mount.



Smart Clean System

Smart Clean Lower Cylinder Bracket
for FR1360 or FR1345.



SC-1360FR-MT-R



SC-1360FR-MT-L



SC-1345FR-MT



The Martin-Till Smart Clean System fits all major planter brands, including:

- Case-IH
- Great Plains
- John Deere
- Kinze
- White



UMO-100 Fertilizer Opener




171

Unit mounted single disk liquid fertilizer opener. Can be used with Martin WA1360 Row Cleaner, WA1345, C125MTR, C125MTL or C125MTXL floating row cleaners. Fits Deere 7000 - 1700 series planters, Kinze, White 6000 & 8000 series planters. Can be set to place liquids 1", 2" or 3" from center of seed row. Can also be set to place liquid 3/4" above, even with or 3/4" below seed depth.

Approximate weight: 34 lbs.



Exploded View-UMO-100



* Right hand unit shown.




Mounts for UMO-100

UMO-MTA



Mounting bracket for John Deere 7000, 7100 and Kinze series planters. Approximate weight: 6.3 lbs.

UMO-MTJ



Mounting bracket for all John Deere 7200, 7300, 1700 series planters. Approximate weight: 5.9 lbs.



WA1360/UMO-100 Mounts

MT1360DU



Bracket for attaching **Martin UMO-100 Fertilizer Opener and Martin WA1360 Floating Row Cleaner** to Deere 7200-1700 and CIH 2000 (Requires HD adaptor, CNH part # 48054385) series row units.

MT1360KU/WU




Bracket for attaching **Martin UMO-100 Fertilizer Opener and Martin WA1360 Floating Row Cleaner** to Kinze (except 4900) White and Deere 7000 planter row units.



WA1360/UMO-100 Mounts

MT1360CU



Bracket for attaching **Martin UMO-100 Fertilizer Opener** and **Martin WA1360 Floating Row Cleaner** to CIH 1200 & 2000 series row units.

HDP-CIH01



Heavy duty lower parallel arm for CIH 1200 series row units. For use in extreme No-Till environments.



UMO-100 Dual Fertilizer Opener




Dual Unit mounted single disk liquid fertilizer opener. Can be used with Martin WA1360 Row Cleaner. Fits Deere 7000 - 1700, Kinze & Case IH Early Riser row units. Set to place liquid or dry fertilizer 2 5/8" from center of seed row and at seeding depth.

- 2 - 14" smooth blades for easy Penetration
- Tapered roller bearing hubs for Durability
- New and improved placement shoe for less friction




WA1360/Dual UMO-100 Mounts

MT1360DDU



Bracket for attaching **Dual Martin UMO- 100 Fertilizer Opener and Martin WA1360 Floating Row Cleaner** to Deere 7200-1700 series and CIH 2000 (Requires HD adaptor, CNH part # 48054385) planter row units.

MT1360KDU



Bracket for attaching **Dual Martin UMO-100 Fertilizer Opener and Martin WA1360 Floating Row Cleaner** to Kinze (except 4900), White and Deere 7000 planter row units.



Model WA1360

WA1360 FLOATING SERIES


WA1360 Mounting Bracket Choices

	w/o Coulter	w/Coulter	w/UMO	w/Dual UMO
Length	19"	22"	25"	31"
Width	12 7/16"	12 7/16"	12 7/16"	12 7/16"
Standard Wheel Diameter	13	13	13	13
Average Path Width	7	7	7	7
Axle Type	Bolt on	Bolt on	Bolt on	Bolt on
Standard Adj. Method	Stop bolt	Stop bolt	Stop bolt	Stop bolt
Optional Adj. Method	Smart Clean Cam	Smart Clean Cam	Smart Clean Cam	Smart Clean Cam
Floats	Yes	Yes	Yes	Yes
<u>May be used with:</u>				
Martin unit mounted single Disk & Dual opener	Yes	No	Yes	Yes
JD frame mounted single disk fertilizer opener	Yes	No	No	No
Unit mounted no-till coulters (except Ausherman)	No	Yes	No	No
Unit mounted single disk fertilizer injection systems	No	No	No	No
JD unit mounted double disk fertilizer opener	No	Yes*	No	No
Side Treader Wheels	Recommend	Recommend	Recommend	Recommend



Cam Adjust for WA1360


CA-03D



Spring Loaded Quick Adjust for WA1360.

Adjust depth in 1/4" increments.

CA-03K




Spring Loaded Quick Adjust for MT1360KC on Kinze Unit with Coulter.

Adjust depth in 1/4" increments.



Exploded View-Cam Adjust for WA1360



Side Treader Wheel

STW-04A




Optional aluminum side treader wheel for use on all Martin floating row cleaners to improve flotation and increase traction. Two required per row. Fits three and four bolt hubs. Approximate weight: 4.5 lbs.




OPTIONS

WW-02



Wheel weight. Adds weight to floating row cleaners. For use when planting in extremely hard soil conditions. Two required per row. Fits three-bolt hub. Approximate weight: 4.3 lbs. each.

WW-04



Wheel weight. Adds weight to floating row cleaners. For use when planting in extremely hard soil conditions. Two required per row. Fits four-bolt hub. Approximate weight: 4.3 lbs. each.




OPTIONS

USB-70



Unit set back kit for JD7000 and Kinze. Moves planter unit back 6". Includes bolts for attaching and 12" of #41 roller chain plus connector. Approximate weight: 27 lbs.

USB-72



Unit set back kit for JD7200-1700. Moves planter unit back 6" and creates a new location for down pressure mechanism. Includes bolts for attaching and 12" of #41 roller chain plus connector. Approximate weight: 35 lbs.



Pin Adjust Row Cleaners

WA1332/1532



Stem mounted row cleaner. 1 1/2" stem with bolt-on axles.

WA1532 has 15" wheels; runs intersected (most aggressive). WA1332 has 13" wheels; runs intersected, offset or retracted.

Mounting brackets not included.

Components: (1) 1315STEM, (2) HA44270, EITHER (1-TW3813-L4 AND 1-TW3813-R4) OR (1-TW3815-L4 AND 1-TW3815-R4) and (1) Lift assist handle.

Attaches to planter with one of the following mounts:

-MT772 Fits Deere 7000-1700 series, all Kinze, White 6000 series.

With standard down pressure springs.

- MT512 Fits White 5100.

- MT610 Fits White 6100 series with heavy duty down pressure springs.

- MT385 Fits Deutz AC Quadra Disk, Landoll.


- MT810 Fits White 8000.

- MT4772 Fits Kinze 4900.




Exploded View-WA1332 Row Cleaner

WA1332



Exploded View-WA1532 Row Cleaner

WA1532



Pin Adjust Row Cleaners

WA1334



Mounted row cleaner with 2" stem and bolt-on axles.

Components: (1) 1334STEM, (2) HA44270, (1) TW3813-L4, (1) TW3813-R4 and (1) Lift assist handle.

Shown with MT892 mounting bracket for use on Case-IH 800 and 900.

1200 Series uses MT1250 mount


Notes: Early 800 style planters that have three mounting holes require IH800MTKIT. See page 36.

Planters equipped with other brands of 2" mounting brackets may use WA1334 without ordering Martin MT892; however, minimum adjustment increments will be 3/4" instead of 1/4".



Exploded View-WA1334 Row Cleaner

WA1334



Pin Adjust Row Cleaners

WA1320N



1 1/2" stem narrow row cleaner, for planters with 15" spacing. Cleans only the row center. Order mounting bracket separately.


Components: (1) 1320STEM (with hubs), (1) TW3813L4, (1) TW3813R4, (1) ITD1320L, (1) ITD1320R, (1) Lift assist handle.

Note: Gauge wheel arm equalizers are recommended when using this unit to reduce row unit bounce caused by gauge wheels encountering varying amounts of residue.



Exploded View-WA1320N Row Cleaner

WA1320N



Mounts for Pin Adjust Row Cleaners

MT772



MT772 Spring assist mount. Accepts 1 1/2" stem wheel assemblies WA1532, WA1332, and WA1320N. For use on all Deere MaxEmerge and Kinze. Also for White 6000 series planters with out Heavy Duty down pressure springs. Receiver tube can be positioned in the rear hole to avoid interference with the bottom parallel arm sets that have the cross brace in the middle as shown, or placed in the forward holes to avoid interference with the bottom parallel arm sets that have the cross brace at the rear. Mounting hardware included.


Approximate weight: 10.0 lbs.

(Note: White 6000 series planters with heavy duty down pressure springs require MT610.)

Components: (1) TR82 - Receiver tube, (1) MPMX8 - Mount



Exploded View-MT772




Attaching bracket for 1 1/2" stem pin adjust row cleaner



Mounts for Pin Adjust Row Cleaners

MT4772




MT4772 Spring assist mount. Accepts 1 1/2" stem wheel assemblies WA1532, WA1332, and WA1320N. For use on Kinze 4900 series planters. Mounting hardware included.
Approximate weight: 10.0 lbs.

Components: (1) TR82 - Receiver tube, (1) MPMX4 - Mount



Exploded View-MT4772

MT4772



Attaching bracket for 1 1/2" stem pin adjust row cleaner



Mounts for Pin Adjust Row Cleaners

MT610




MT610 Spring assist mount. Accepts 1 1/2" stem wheel assemblies WA1532, WA1332, and WA1320N. For use on White 6000 series planters with heavy duty down pressure springs. Mounting hardware included. Approximate weight: 6 lbs.

Components: (1) TR82 - Receiver tube, (2) MPWT61- Mount



Exploded View-MT610

MT610



Attaching bracket for 1 1/2" stem pin adjust row cleaner



Mounts for Pin Adjust Row Cleaners

MT810




MT810 Spring assist mount. Accepts 1 1/2" stem wheel assemblies WA1532, WA1332, and WA1320N. For use on White 8000 series planters. Mounting hardware included. Approximate weight: 6.4 lbs.

Components: (1) TR82 - Receiver tube, (2) MPWT81- Mount



Exploded View-MT810

MT810



Attaching bracket for 1 1/2" stem pin adjust row cleaner



Mounts for Pin Adjust Row Cleaners

MT892



MT892 Spring assist mount. Accepts 2" stem wheel assemblies WA1334. For use with Case IH 800, 900 and 950. Mounting hardware included. Approximate weight: 7.2 lbs.

Components: This is a one piece mount.

* 12B bent pull pin and 109-0767 spring included.



Mounts for Pin Adjust Row Cleaners

MT1250



MT1250 Spring assist mount. Accepts 2" stem wheel assemblies WA1334. For use with Case IH 1200 & 1300 series planters . Mounting hardware included.
Approximate weight: 7.2 lbs.

Components: This is a one piece mount.

* 12B bent pull pin and 109-0767 spring included.



Mounts for Pin Adjust Row Cleaners

MT385



MT385 Spring assist mount. Accepts 1 1/2" stem wheel assemblies WA1532, WA1332, and WA1320N. For use on Deutz AC Quadra Disk and Landoll planters. Mounting hardware included. Approximate weight: 7.6 lbs.


Components: This is a one piece mount.

*12B bent pull pin and 109-0767 spring included.



Mounts for Pin Adjust Row Cleaners

MT512




MT512 Spring assist mount. Accepts 1 1/2" stem wheel assemblies WA1532, WA1332, and WA1320N. For use on White 5100 series planters only. Mounting hardware included. Approximate weight: 6.3 lbs.

Components: This is a one piece mount.

*12B bent pull pin and 109-0767 spring included.



WFM413 Assembly




For use on White double arm frame mounted coulters.

Components: (1) WFM413TL, (1) WFM413TR, (2) HA44270-D, (1) TW3813-L4, (1) TW3813-R4, (2) STW-04.



Exploded View-WFM413



Mounts for Pin Adjust Row Cleaners

IH800MTKIT



IH800MTKIT needed for early 800 style planters that have three mounting holes.



Model C125 Floating Row Cleaner




Shown with optional
Side Treader Wheels (STW-04)

C125 Series floating wrap around row cleaners follow ground contours. Stop bolt can be adjusted to limit depth. Mounting brackets are available to fit JD7000 thru 1700 series planters, all Kinze (except 4900), all White 6000 and 8000 series, and IH 800, 900 & 1200 series planters.



Exploded View-Model C125 Floating Row Cleaner



C125 Mounts

C125MTS



Short mounting bracket for C125 floating row cleaner. Fits Deere 7000, 7100, Kinze (except 4900), and White 6000 series planters. Not for use with coulters. Positions row cleaner wheel front edge 19 5/16" ahead of planter unit face. Mounting hardware included. Approximate weight: 9.1 lbs

C125MTS-81




Short mounting bracket for C125 floating row cleaner. Fits White 8000 series planter. Some 8000 series planters may experience interference with the drive shaft. Not for use with no-till coulters. Positions wheel front edge 19 5/16" ahead of planter unit face. Mounting hardware included. Approximate weight: 9.0 lbs. weight: 10.9 lbs.




C125 Mounts

C125MTS-IH



Short mounting bracket for C125 floating row cleaner. Fits Case IH 800, 900, & 1200 series. Not for use with no-till coulters. Positions row cleaner wheel front edge 22 9/16" ahead of planter unit front. Mounting hardware included. Approximate weight: 12.6 lbs.

C125MTS-XP



Short mounting bracket for C125 floating row cleaner. Fits Deere 7200-1700 series planters. Not for use with coulters. Positions row cleaner wheel front edge 19 5/16" ahead of planter unit face. Mounting hardware included. Approximate weight: 8.8 lbs.



C125 Mounts

C125MTR



Regular mounting bracket for C125 floating row cleaner. Fits Deere 7000, 7100, Kinze (except 4900) and White 6000 series planters. May be used with most no-till coulters. Positions row cleaner wheel front edge 24 3/4" ahead of planter unit face plate. Mounting hardware included. Approximate weight: 10.9 lbs.

C125MTR-81



Regular mounting bracket for C125 floating row cleaner. Fits White 8000 series planters. Some 8000 series planters may experience interference with the drive shaft. May be used with most no-till coulters. Positions row cleaner wheel front edge 24 3/4" ahead of planter unit face. Mounting hardware included. Approximate weight: 10.9 lbs.



C125 Mounts

C125MTR-IH



Regular mounting bracket for C125 floating wrap around row cleaner. Fits Case IH 800, 900, & 1200 series. Positions row cleaner wheel front edge 25 3/4" ahead of planter unit front. Most no-till coulters are compatible with this mount. Mounting hardware included. Approximate weight: 14.0 lbs.

C125MTR-XP



Regular mounting bracket for C125 floating wrap around row cleaner. May be used with most no-till coulters. Fits Deere 7200-1700 series planters. Positions row cleaner wheel front edge 24 3/4" ahead of planter unit face plate. Mounting hardware included. Approximate weight: 10.1 lbs.



C125 Mounts

C125MTL-XP



Long mounting bracket for C125 floating wrap around row cleaner. Can be used with John Deere 7200-1700 series planters with Deere unit mounted double disk fertilizer openers. Positions row cleaner wheel front edge 27 1/4" ahead of planter unit face. Mounting hardware included. Approximate weight: 11.7 lbs

C125MTXL-XP




Extra long mounting bracket for C125 floating wrap around row cleaner. Can be used with Deere 7200-1700 series planters with Deere unit mounted fertilizer openers and single disk fertilizer injection systems. Positions row cleaner wheel front edge 29 3/4" ahead of planter unit face. Mounting hardware included. Approximate weight: 13.5 lbs.




C125 Options

CA-02



Optional cam adjustment for C125 row cleaners. Allows rapid adjustment of C125 units with twelve 1/4" inch increments. Hardware included.

DP-01




Optional down pressure kit for C125 row cleaners. Provides extra down force for clearing heavier residue. Hardware included.



C125 Options

CDP-01

Optional cam and down pressure kit for C125 row cleaners. Combines CA-02 and DP-01 kits. Hardware included.




C125 Great Plains Twin Row Floating Row Cleaner

C125-GPTR


Floating Row Cleaner for Great
Plains Twin Row-Right Unit.

C125-GPTR SHOWN
C125-GPTL OPPOSITE



Exploded View-C125 Great Plains Twin Row

C125-GPTR



C125-GPTR SHOWN
C125-GPTL OPPOSITE

C125-GPTL REQUIRES:

- 1) TW3813-L4
- 1) C125MTGL
- 1) C125FR-GPL




Hubs

HA44270-D




Four-bolt row cleaner hub and axle combination, D Series.
Approx. weight: 4.3lbs.



Hubs

HRKIT




* Optional dust cap for hubs produced prior to February 2000.



RazorWave Closing Wheel

BRCWD12.514




Dual 12.5" RazorWave wheels and hubs. For planters with bolt-on hubs: Deere 1700 series, Late Kinze, White 6000 & 8000 series.

Components: (2) RW12.514 , (2) CHU44-B2.
All hardware included.



RW12.514



Single RazorWave Wheel offside of single 15" spike wheel for planters with bolt-on hubs: Deere 1700 series, late Kinze, White 6000 & 8000 series.


Order part numbers:

BSCW1544R(SHOWN) or BSCW1544L
Components: (1) TW3815-R4, (1) CHU44-B2.

BRCW12.514 Components: (1) RW12.514, (1) CHU44-B2.

Spading Closing Wheel

BSCW1341



BSCW1341- Double 13" spike wheels and hubs. For planters with roll-pin attached hubs:
Deere 7000 & 7100 series, early Kinze.

Components: (1) TW3813-L4, (1) TW3813-R4, (2) CHU44-A,
(2) A70 Kit.

(Note: 13" wheels are not suitable for single wheel use.)



Spading Closing Wheel

BSCW1343



BSCW1343- Double 13" spike wheels and hubs. For planters with 17 mm stud bolt on closing wheel frames: Deere 7200, 7300 series.

Components: (1) TW3813-L4, (1) TW3813-R4, (2) CHU44-A.

(Note: 13" wheels are not suitable for single wheel use.)



Spading Closing Wheel

BSCW1344



BSCW1344- Double 13" spike wheels and hubs. For planters with bolt-on hubs: Deere 1700 series, Late Kinze, White 6000 & 8000 series.


Components: (1) TW3813-L4, (1) TW3813-R4, (2) CHU44-B2, (1) DK-O1(Drop Down Kit). All hardware included.

(Note: 13" wheels are not suitable for single wheel use.)



Spading Closing Wheel

BSCW1541



BSCW1541L or BSCW1541R - 15" spike wheel and hub for single closing wheel on planters with roll-pin attached hubs:
Deere 7000-7100 series, early Kinze.


BSCW1541L (SHOWN) Components:(1) TW3815-R4, (1) CHU44-A, (1) A70 Kit.

BSCW1541R Components: (1) TW3815-L4, (1) CHU44-A, (1) A70 Kit.



Spading Closing Wheel

BSCW1543



BSCW1543L or BSCW1543R - 15" spike wheel and hubs. For planters with welded stud bolts: Deere 7200, 7300 series.


BSCW1543L (SHOWN) Components: (1) TW3815-R4, (1) CHU44-A.

BSCW1543R Components: (1) TW3815-L4, (1) CHU44-A.



Spading Closing Wheel

BSCW1544



BSCW1544L or BSCW1544R - 15" spade wheel and hub for single closing wheel on planters with bolt-on hubs: Deere 1700 series, late Kinze, White 6000 & 8000 series.

BSCW1544L (SHOWN) Components: (1) TW3815-R4, (1) CHU44-B2.

BSCW1544R Components: (1) TW3815-L4, (1) CHU44-B2.



Spading Closing Wheel

BSCW899Z



BSCW899Z –9” Razor wheel and hub replaces closing disk on Case IH 800, 900, & 1200 series planters. Will also fit Deere and Kinze shallow closing systems.




Wheels

RTW149-R



9" replacement Right Razor wheel for BSCW899Z closing system.

RTW149-L



9" replacement Left Razor wheel for BSCW899Z closing system.



Spading Closing Wheel

BSCW899




BSCW899 - 9" spike wheels and hubs. Replaces closing disk on Case IH 800, 900, 950, and 1200 series planters; use on offset closing arm only. Will also fit Deere and Kinze shallow closing systems.

Components: (1) SCW899L and (1) SCW899R.



Exploded View-SCW899 Closing Wheel

BSCW899R/L




SCW899L SHOWN
SCW899R - THE TW149 IS REVERSED.



Spading Closing Wheel

BSCW51




**BSCW51 - Double 13" spike wheels and hubs; angle brackets.
For White 5100 planters.**

Components: (1) TW3813-L4, (1) TW3813-R4, (1) CWB51L,
(1) CWB51R, (1) SCW5161, (2) CHU44-B2.



Spading Closing Wheel

BSCW61



SCW5161

U.S. Patent #5,497,717

**BSCW61 - Double 13" spike wheels and hubs; angle brackets.
For White 6100 planters with single 4" x 12" factory closing
wheel option.**


*** Will not fit recessed H bracket.**

Components: (1) TW3813-L4, (1) TW3813-R4, (1) CWB61L,
(1) CWB61R, (1) SCW5161, (2) CHU44-B2.



Spading Closing Wheel

BSCW75B R/L



SCW75BL SHOWN
SCW75BR OPPOSITE

U.S. PATENT NO #5,497,717

BSCW75BL - Left side 13" spike wheel and ball bearing hub for JD750 drill. (May substitute dimple wheels for spike wheels, model BSCW75BLD. Preferred for shallow seeding.)

Components: (1) TW3813-R4, (1) CHU44-B2, (1) A3458L, (4) 3/4" flat washers.

Note: When ordering for a left side, a right wheel will be sent.

BSCW75BR Right side 13" spike wheel and ball bearing hub for JD750 drill. (May substitute dimple wheels for spike wheels, model BSCW75BRD. Preferred for shallow seeding).


Components: (1) TW3813-L4, (1) CHU44-B2, (1) A3458R, (4) 3/4" flat washers.

Note: When ordering for a right side, a left wheel will be sent.



Exploded View-SCW75 Closing Wheel

BSCW75B R/L



Spading Closing Wheel

BSCW156-4 R/L



U.S. PATENT NO #5,497,717

BSCW156L - Left side 13" spike wheel with adapter for JD1560 and 1860 drills.

Components: (1) TW3813-R4, (1) 156-41, (1) 156-2, (2) 3/4" flat washers, (1) 5/8" x 7 1/2" hex bolt and nyloc nut. (May substitute dimple wheels for spike wheels, model BSCW156D.)

Note: Use TW3813-R4 to close left side.

BSCW156R - Right side 13" spike wheel with adapter for JD1560 and 1860 drills.


Components: (1) TW3813-L4, (1) 156-41, (1) 156-2, (2) 3/4" flat washers, (1) 5/8" x 7 1/2" hex bolt and nyloc nut. (May substitute dimple wheels for spike wheels, model BSCW156D.)

Note: Use TW3813-L4 to close right side.



Exploded View-SCW156

BSCW156-4 R/L




SCW156R - Shown above

SCW156L - Requires a TW3813-R4




Exploded View-Closing Wheel Hubs

CHU44-B2



CHU44-A




OPTIONS

DCK-01

Drag chain kit with brackets. Heavy square edge cross chain drags loose soil to fill voids created by spike closing wheels Fits Deere, Kinze and White units. Some earlier models may require holes to be drilled.

Includes

- 1) Bracket (*DCB-01*); QTY-2
- 2) Chain (*CHN-2538*)
- 3) Drag Chain Connector Link (*CC84591*) ; QTY-2
- 4) Hardware Kit



Wheels

TW3813-R4



3/8" thick, 13" diameter right steel wheel; 14 teeth with diamond shaped points. Fits four-bolt hub. Approximate weight: 7.1 lbs.

TW3813-L4



3/8" thick, 13" diameter left steel wheel; 14 teeth with diamond shaped points. Fits four-bolt hub. Approximate weight: 7.1 lbs.



Razor Wheels

RTW1412.5-R4



12.5" Razor Tooth Row Cleaner wheel for use in extreme residue. Fits all Martin 4 Bolt Row Cleaners. Can be run offset or intersected. (Right Wheel)

**Add Z to end of part number to substitute Razor Wheels on any 13" Row cleaner

RTW1412.5-L4



12.5" Razor Tooth Row Cleaner wheel for use in extreme residue. Fits all Martin 4 Bolt Row Cleaners. Can be run offset or intersected. (Left Wheel)

**Add Z to end of part number to substitute Razor Wheels on any 13" Row cleaner



Wheels

TW3815-R4



3/8" thick, 15" diameter right steel wheel. Fits four-bolt hub. Has 16 teeth with diamond shaped points. Approximate weight: 10.0 lbs

TW3815-L4



3/8" thick, 15" diameter left steel wheel. Fits four-bolt hub. Has 16 teeth with diamond shaped points. Approximate weight: 10.0 lbs.



Wheels

TW3817-R4



3/8" thick, 17" diameter right steel wheel. Fits four-bolt hub. Has 16 teeth with diamond shaped points. Approximate weight: 10.0 lbs

TW3817-L4



3/8" thick, 17" diameter left steel wheel. Fits four-bolt hub. Has 16 teeth with diamond shaped points. Approximate weight: 10.0 lbs.



Wheels

DW2013-4



Optional 1/2" thick, 13" diameter wheel with 20 round pointed teeth. Fits four bolt hub. Approximate weight: 14.5 lbs.

TW149




1/4" thick, 9" diameter steel wheel; 14 teeth with sloped points.



Hubs

HA13270-D




3-Bolt hub for 13" wheels. Fits all floating row cleaners with three-bolt pattern. Approximate weight: 4 lbs.



Hubs

HA13305-D




3-Bolt hub for 13" wheels. Fits WA1317 and WA1330 stem mounted row cleaners with three-bolt pattern.
Approximate weight: 4.3 lbs.




Hubs

CHU022



Three bolt closing wheel hub for use on frames with 17mm stud. Contains one 6203-2RS and one 203JD bearing. Approximate weight: 1.2 lbs.

CHU024



Three bolt closing wheel hub. Uses one 5203KMF double row ball bearing. Approximate weight: 1.5 lbs.



Wheels

TW3813-R



3/8" thick, 13" diameter right steel wheel; 14 teeth with diamond shaped points. Fits three-bolt hub.

Approximate weight: 7.1 lbs.

TW3813-L



3/8" thick, 13" diameter left steel wheel; 14 teeth with diamond shaped points.

Fits three bolt hub.

Approximate weight: 7.1 lbs.



Wheels

TW3815-R



3/8" thick, 15" diameter right steel wheel; 16 teeth with diamond shaped points. Fits three-bolt hub.
Approximate weight: 10 lbs.

TW3815-L



3/8" thick, 15" diameter left steel wheel; 16 teeth with diamond shaped points. Fits three-bolt hub.
Approximate weight: 10 lbs.



Wheels

TW3813-RK



3/8" thick, 13" diameter right steel wheel; 14 teeth with diamond shaped points with Kinze row cleaner hub hole pattern.

Approximate weight: 7.1 lbs.

TW3813-LK




3/8" thick, 13" diameter left steel wheel; 14 teeth with diamond shaped points with Kinze row cleaner hub hole pattern.

Approximate weight: 7.1 lbs.



Side Treader Wheel

STW-01K




Optional aluminum side treader wheel. Fits Kinze row cleaner hub. Two required per row.
Approximate weight: 3.5 lbs.



OPTIONS

GWS-01



Gauge wheel shield helps smooth the flow of residue past the recesses in unit gauge wheels. Hardware included. Two required per row.

SP-KIT




Weld-on retrofit tabs and spring to provide lift assist.




OPTIONS

ANG-2D



2 Degree angled closing wheel bracket. Increases aggressiveness of spading and dimple closing wheels. Fits late model Deere planters with bolt-on closing wheels.

ANG-2K



2 Degree angled closing wheel bracket. Increases aggressiveness of spading and dimple closing wheels. Fits Kinze planters with bolt-on closing wheels.



OPTIONS

SG-01



Shaft guard prevents C125 from striking countershaft under main frame when planting over terraces, etc. Not necessary on planters that do not have counter shaft below main frame.


SPT-516



5/16" triangle hub spacer. Fits three-bolt hub.



HD Seed Disk



ASD15X48

Heavy Duty 15" x 4mm Blade. 8 bolt pattern Heavy Duty seed disc hub and double row bearing with triple lip seal.

