

WELCOME TO THE MARTIN-TILL® PLANTING SYSTEM



Unit-Mounted Fertilizer Opener (UMO150)



800.366.5817

martintill.com

Consistantly places fertilizer in the ground Without splattering on planter!

> Patented spring loaded knife places liquid in the ground not on the planter!

- Improved design allows more ground clearance with a more narrow profile, reducing bulldozing.
- Standard 14" smooth blade for use in no-till conditions or a NEW 15" notched blade for use in min-till or conventional till
- Mounting directly to the row unit allows precise placement from the seed, even when planting on contours
- Lateral spacing from seed can be 1", 2" or 3"
- Vertical depth can be even with seed or 3/4" above
- 1 1/2" OD Dry tube available for 2" and 3" lateral spacing
- Sturdy compact design
- Greaseable Double tapered bearing hub with two 3 lip seals
- Updated & improved placement shoe for less friction
- Adjustable furrow control strap
- Fits Deere 7000 1700, Kinze, White 6000/8000/9000 series, Harvest International Laser Pro and Case IH 1200 and 2000 series planters
- Patent Number 7,481,171

Adjustable Furrow Control Strap keeps soil in place. Preventing blowout of Furrow Wall.

Dual UMO150 Compatible with 1360 & 1345 Row Cleaners



- Dual UMOs allow for yield-enhancing 2 x 3 x 2 fertilizer application
- Your choice of Two, 14" smooth blades or 15" notched blades.
- Places nutrients at various depths 3" on BOTH sides of seed for maximum usage

• Available with optional dry fertilizer tubes

Agronomic Benefits

- Allows more nutrients to be applied
- Increases root mass
- Enhances plant size and strength
- Promotes faster growth
- Improves yields


TESTING	STARTER PLACEMENT SYSTEM	TREATMENTS	PLACEMENT	EMERGED	POPULATION DIFFERENCE	NEPS %	BU./A.	BU./A. DIFFERENCE	RETURN ON INVESTMENT
IN, OH, IA		Control: 30 units UAN	2x2	32,088	342	83.6	201.4	122	-
	x2x2	30 units UAN	2x2x2	32,454	+366	82.9	207.5	+6.1	+\$23.55
	Martin-Till® Dual UMO 2x2x2	60 units UAN	2x2x2	32,023	-65	83.3	211.3	+9.9	+\$25.01
	Ma Dual (30 units UAN + 1 qt. Start Right	2×2	31,760	-328	80.7	206.6	+5.2	+\$9.57
		30 units UAN + 1 qt. Start Right	2×2×2	31,773	-315	82.7	202.6	+1.2	-\$5.87
אג' כור' צור		Control: 30 units UAN	2x2	31,246		92.8	199.0		
	eries	30 units UAN	2x2x2	30,407	-839	91.7	204.6	+5.6	+\$21.62
	Yetter Dual 2968 Series	60 units UAN	2x2x2	30,245	-1,001	90.7	208.5	+9.5	+\$23.47
	Dual	30 units UAN + 1 qt. Start Right	2x2	30,458	-788	91.0	204.0	+5.0	+\$8.80
		30 units UAN + 1 qt. Start Right	2x2x2	30,750	-496	91.9	202.7	+3.7	+\$3.78


WITH DUAL PLACEMENT





Dual Opener Comparrison





Dual Martin 14" Opener blades, with 35 degree"scissor angle", require only 75lbs of down pressure per opener in No-till ground.

The same down pressure, if not more, is required on competitors dual 10" blades. The resulting scissor angle of this size blade proves to be too blunt to help penetrate.

Another benefit, 4 degree blade angle holds the trench open for clean, precise fertilizer placement.

See more Martin-Till Planter Attachments on the web! Go to www.MartinTill.com and Browse the Store and Product Catalog

Contact Us:

Martin Industries 206 Elk Fork Rd Elkton, KY 42220 United States of America 800.366.5817 or sales@martintill.com

